Application No. 10/572,616 Amdt. Dated: September 2, 2008

Reply to Office Action Dated: July 9, 2008

Amendments to the Claims

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Currently amended) An image processing system for reduction of the noise and enhancement of edges in images of a sequence, comprising a controller to:

<u>a decomposer that decomposes</u> a spatial image signal yielding slices of different content, the decomposition being based on pyramidal decomposition;

<u>a filter that</u> temporally <u>filters</u> filter one or more of the slices for differently filtering the slices according to the content, wherein one or more high frequency slices are filtered at a greater rate than one or more low frequency slices; and

<u>a recomposer that recomposes</u> the images of the sequence from at least the temporally filtered slices.

- 2. (Previously presented) The system of claim 1, wherein the pyramidal decomposition is one of Laplacian or Gaussian decomposition.
- 3. (Previously presented) The system of claim 1, wherein the temporal filtering comprises adaptive filtering.
- 4. (Previously presented) The system of claim 1, wherein the temporal filtering comprises motion compensation.
- 5. (Previously presented) The system of claim 1, wherein the temporal filtering comprises recursive adaptive filtering.
- 6. (Previously presented) The system of claim 1, further comprising a display device for displaying the images of the sequence.

Application No. 10/572,616

Amdt. Dated: September 2, 2008

Reply to Office Action Dated: July 9, 2008

7. (Previously presented) A computer-readable storage medium, comprising computer

instructions for:

decomposing a spatial image signal yielding slices of different content, the

decomposition being based on pyramidal decomposition;

temporally filtering one or more of the slices for differently filtering the slices according

to the content, wherein one or more high frequency slices are filtered at a greater rate than one or

more low frequency slices; and

recomposing the images of the sequence from at least the temporally filtered slices.

8. (Previously presented) A method of imaging comprising:

decomposing a spatial image signal yielding slices of different content, the

decomposition being based on pyramidal decomposition;

temporally filtering at least a portion of the slices for differently filtering the slices

according to the content, wherein one or more high frequency slices are filtered at a greater rate

than one or more low frequency slices; and

recomposing the images of the sequence from the temporally filtered slices and one or

more unfiltered slices.

9. (Previously presented) The method of claim 8, wherein the temporal filtering comprises

motion compensation.

10. (Previously presented) The method of claim 8, further comprising applying Laplacian

pyramid decomposition to perform the decomposition of the spatial image signal.

11. (Previously presented) The method of claim 8, further comprising applying Gaussian

pyramid decomposition to perform the decomposition of the spatial image signal.

12. (Previously presented) The method of claim 8, further comprising applying adaptive

temporal recursive filtering to perform the temporal filtering of the at least a portion of the slices.

Application No. 10/572,616

Amdt. Dated: September 2, 2008

Reply to Office Action Dated: July 9, 2008

13. (Previously presented) The method of claim 8, wherein the temporal filtering comprises adaptive filtering.

- 14. (Previously presented) The method of claim 8, further comprising displaying the recomposed images of the sequence.
- 15. (Currently amended) The <u>computer readable</u> storage medium of claim 7, further comprising computer instructions for applying Laplacian pyramid decomposition to perform the decomposition of the spatial image signal.
- 16. (Currently amended) The <u>computer readable</u> storage medium of claim 7, further comprising computer instructions for applying Gaussian pyramid decomposition to perform the decomposition of the spatial image signal.
- 17. (Currently amended) The <u>computer readable</u> storage medium of claim 7, further comprising computer instructions for applying adaptive temporal recursive filtering to perform the temporal filtering of the at least a portion of the slices.
- 18. (Currently amended) The <u>computer readable</u> storage medium of claim 7, wherein the temporal filtering comprises adaptive filtering.
- 19. (Currently amended) The <u>computer readable</u> storage medium of claim 7, further comprising computer instructions for displaying the recomposed images of the sequence.
- 20. (Currently amended) The <u>computer readable</u> storage medium of claim 7, wherein the temporal filtering comprises motion compensation.